





## Introduction

No situation requires a more urgent response than a fire event. On a large public site, especially during busy periods, public safety is paramount.

A powerful and sophisticated software solution, L@ti-View gives building managers complete monitoring and control over fire detection, providing a comprehensive fire risk and incident management system. Where time is of the essence, site managers can respond quickly and efficiently to a fire event. L@ti-View plays a crucial role in safeguarding people, vitally important information and property.

### L@ti-View Key Features

- ▶ Supports dual screens, allowing a dedicated screen for the 2D location images and a separate screen for listing active events and system management.
- ▶ Fully configurable on site using administrator login.
- ▶ Reports configuration mismatch errors – ensuring that the graphics system is properly maintained and updated whenever there are any panel configuration revisions.
- ▶ Powerful event log filtering and reporting.
- ▶ Manage the state of the fire system using a combination of graphical images and system controls.
- ▶ Programmable macro buttons to perform panel control operations.
- ▶ Full map navigation using configurable buttons or map areas.
- ▶ Device analogue value reporting.
- ▶ Perform device and zone disablements/enablenents.





## Visual Fire Management

L@ti-View can automatically switch to the area on the site map to where a fire device has been activated to quickly view an event and begin immediate investigation. In addition, it will show the relevant muster and fire control points.

It also provides a full capability to monitor a Fire Alarm System for faults and alarms and allows the operator to easily manage a fire incident.



## Immediate Response

With L@ti-View, operators and users are alerted to an event as soon as it occurs and are directed to the location of the event.



## Fire System Maintenance

A maintainer's area provides dedicated functions for a fire alarm system's maintenance team. A comprehensive list of all fire devices along with their statuses, cause and effect rules and integration settings allows operators to quickly view a device, make changes and disable devices all from one workstation.

For all fire devices on the site, a maintainer's log shows operators and engineers a view of all recorded maintenance activities, previous faults and status histories to help speed up maintenance procedures and device checks.



## Flexibility

L@ti-View enables permissions to be given to users. There are four default user accounts configured upon installation. Additional accounts can be created by the administrator.

These user accounts use default permissions groups, but user accounts and groups can be cloned and edited to suit site requirements.

The default accounts are

- **Operator** – Ordinary users of the system.
- **Manager** – Users who supervise the operators and as such have additional permissions and access. 2D GUI editing permitted.
- **Maintainer** – Users who maintain the system. Allows analogue value polling, control of outputs, fire panel operations, fire zone testing and additional maintenance facilities.
- **Administrator** – Users who are permitted to administer the system. Full system access permitted.

## HOCHIKI EUROPE (UK) LIMITED

Grosvenor Road, Gillingham Business Park,  
Gillingham, Kent, ME8 0SA, United Kingdom

Telephone: +44 (0)1634 260133

Facsimile: +44 (0)1634 260132

info@hochikieurope.com

www.hochikieurope.com/latitude

ISS1/MAR19



Distributed by:



Quality Certificate No.164QMS  
Assessed to ISO 9001

Environmental Certificate No.164EMS  
Assessed to ISO 14001



Business Member



Fire Industry Association



Affiliate Member



**Your Safety, Our Technology**